



FUGITIVE DUST CONTROL PLAN
 For Projects < 10 Acres (Form DCP, Page 1 of 5)

Project Name: _____ **Water Source** _____

Permit Number (if applicable): _____ **No. Water Trucks** _____

Owner Name: _____ **No. Water Towers** _____

Anticipated Start Date: _____ **Anticipated Completion Date:** _____

Total Earth-Movement (Cubic Yards): _____

Note: Complete entire form by checking applicable boxes. Write "N/A" over box if not applicable.

Project Phases

Source Category	Clearing, Grubbing, & Mass Grading <i>(Describe Control Actions)</i>	Finish Grading <i>(Describe Control Actions)</i>	Site Construction <i>(Describe Control Actions)</i>
Backfilling	Stabilize backfill material: <input type="checkbox"/> 01-1 when not actively handling; <input type="checkbox"/> 01-2 during handling; <input type="checkbox"/> 01-3 at completion of activity.	Stabilize backfill material: <input type="checkbox"/> 01-1 when not actively handling; & <input type="checkbox"/> 01-2 during handling; & <input type="checkbox"/> 01-3 at completion of activity.	Stabilize backfill material: <input type="checkbox"/> 01-1 when not actively handling; & <input type="checkbox"/> 01-2 during handling; & <input type="checkbox"/> 01-3 at completion of activity.
Clearing and Grubbing	<input type="checkbox"/> 02-1 Maintain soil stability by pre-watering of site prior to activities; <input type="checkbox"/> 02-2 Stabilize soil during activities; <input type="checkbox"/> 02-3 Stabilize soil immediately after activities.	<input type="checkbox"/> 02-1 Maintain soil stability by pre-watering of site prior to activities; <input type="checkbox"/> 02-2 Stabilize soil during activities; <input type="checkbox"/> 02-3 Stabilize soil immediately after activities.	<input type="checkbox"/> 02-1 Maintain soil stability by pre-watering of site prior to activities; <input type="checkbox"/> 02-2 Stabilize soil during activities; <input type="checkbox"/> 02-3 Stabilize soil immediately after activities.
Clearing Forms	<input type="checkbox"/> 03-1 water spray to clear forms; or <input type="checkbox"/> 03-2 sweeping and water spray to clear forms; or <input type="checkbox"/> 03-3 vacuum system to clear forms.	<input type="checkbox"/> 03-1 water spray to clear forms; or <input type="checkbox"/> 03-2 sweeping and water spray to clear forms; or <input type="checkbox"/> 03-3 vacuum system to clear forms.	<input type="checkbox"/> 03-1 water spray to clear forms; or <input type="checkbox"/> 03-2 sweeping and water spray to clear forms; or <input type="checkbox"/> 03-3 vacuum system to clear forms.
Crushing	<input type="checkbox"/> 04-1 Stabilize surface soils prior to operation of support equip. <input type="checkbox"/> 04-2 Stabilize mater. after crushing.	<input type="checkbox"/> 04-1 Stabilize surface soils prior to operation of support equip. <input type="checkbox"/> 04-2 Stabilize mater. after crushing.	<input type="checkbox"/> 04-1 Stabilize surface soils prior to operation of support equip. <input type="checkbox"/> 04-2 Stabilize mater. after crushing.



FUGITIVE DUST CONTROL PLAN
 For Projects < 10 Acres (Form DCP, Page 2 of 5)

Project Phases

Source Category	Clearing, Grubbing, and Mass Grading <i>(Describe Control Actions)</i>	Finish Grading <i>(Describe Control Actions)</i>	Site Construction <i>(Describe Control Actions)</i>
Cut and Fill	<input type="checkbox"/> 05-1 Pre-water soils prior to cut and fill activities; and. <input type="checkbox"/> 05-2 Stabilize soil during and after cut and fill activities.	<input type="checkbox"/> 05-1 Pre-water soils prior to cut and fill activities; and. <input type="checkbox"/> 05-2 Stabilize soil during and after cut and fill activities.	<input type="checkbox"/> 05-1 Pre-water soils prior to cut and fill activities; and. <input type="checkbox"/> 05-2 Stabilize soil during and after cut and fill activities.
Demolition mechanical /manual	<input type="checkbox"/> 06-1 Stabilize wind erodible surfaces to prevent dust; and <input type="checkbox"/> 06-2 Stabilize surface soil where support equipment and vehicles will operate; and <input type="checkbox"/> 06-3 Stabilize loose soil and demolition debris; and <input type="checkbox"/> 06-4 Comply with AQMD Rule 1403.	<input type="checkbox"/> 06-1 Stabilize wind erodible surfaces to prevent dust; and <input type="checkbox"/> 06-2 Stabilize surface soil where support equipment and vehicles will operate; and <input type="checkbox"/> 06-3 Stabilize loose soil and demolition debris; and <input type="checkbox"/> 06-4 Comply with AQMD Rule 1403.	<input type="checkbox"/> 06-1 Stabilize wind erodible surfaces to prevent dust; and <input type="checkbox"/> 06-2 Stabilize surface soil where support equipment and vehicles will operate; and <input type="checkbox"/> 06-3 Stabilize loose soil and demolition debris; and <input type="checkbox"/> 06-4 Comply with AQMD Rule 1403.
Disturbed soil	<input type="checkbox"/> 07-1 Stabilize disturbed soil throughout the construction site; and <input type="checkbox"/> 07-2 Stabilize disturbed soil between structures	<input type="checkbox"/> 07-1 Stabilize disturbed soil throughout the construction site; and <input type="checkbox"/> 07-2 Stabilize disturbed soil between structures	<input type="checkbox"/> 07-1 Stabilize disturbed soil throughout the construction site; and <input type="checkbox"/> 07-2 Stabilize disturbed soil between structures
Earth-moving activities	<input type="checkbox"/> 08-1 Pre-apply water to depth of proposed cuts; and <input type="checkbox"/> 08-2 Re-apply water as necessary to maintain soils in a damp condition; and <input type="checkbox"/> 08-3 Stabilize soils once earth-moving activities are complete.	<input type="checkbox"/> 08-1 Pre-apply water to depth of proposed cuts; and <input type="checkbox"/> 08-2 Re-apply water as necessary to maintain soils in a damp condition; and <input type="checkbox"/> 08-3 Stabilize soils once earth-moving activities are complete.	<input type="checkbox"/> 08-1 Pre-apply water to depth of proposed cuts; and <input type="checkbox"/> 08-2 Re-apply water as necessary to maintain soils in a damp condition; and <input type="checkbox"/> 08-3 Stabilize soils once earth-moving activities are complete.
Importing/ exporting of bulk materials	<input type="checkbox"/> 09-1 Stabilize material while loading to prevent fugitive dust emissions; and <input type="checkbox"/> 09-2 Maintain at least six inches of freeboard on haul vehicles; and <input type="checkbox"/> 09-3 Limit vehicular speeds to 15 miles per hour while traveling on-site; and	<input type="checkbox"/> 09-1 Stabilize material while loading to prevent fugitive dust emissions; and <input type="checkbox"/> 09-2 Maintain at least six inches of freeboard on haul vehicles; and <input type="checkbox"/> 09-3 Limit vehicular speeds to 15 miles per hour while traveling on-site; and	<input type="checkbox"/> 09-1 Stabilize material while loading to prevent fugitive dust emissions; and <input type="checkbox"/> 09-2 Maintain at least six inches of freeboard on haul vehicles; and <input type="checkbox"/> 09-3 Limit vehicular speeds to 15 miles per hour while traveling on-site; and



FUGITIVE DUST CONTROL PLAN
 For Projects < 10 Acres (Form DCP, Page 3 of 5)

Project Phases

Source Category	Clearing, Grubbing, and Mass Grading <i>(Describe Control Actions)</i>	Finish Grading <i>(Describe Control Actions)</i>	Site Construction <i>(Describe Control Actions)</i>
Importing/ exporting of bulk materials (cont.)	<input type="checkbox"/> 09-4 Stabilize material while transporting to prevent fugitive dust emissions; and <input type="checkbox"/> 09-5 Stabilize material while unloading to prevent fugitive dust emissions; and <input type="checkbox"/> 09-6 Comply with Vehicle Code Section 23114.	<input type="checkbox"/> 09-4 Stabilize material while transporting to prevent fugitive dust emissions; and <input type="checkbox"/> 09-5 Stabilize material while unloading to prevent fugitive dust emissions; and <input type="checkbox"/> 09-6 Comply with Vehicle Code Section 23114.	<input type="checkbox"/> 09-4 Stabilize material while transporting to prevent fugitive dust emissions; and <input type="checkbox"/> 09-5 Stabilize material while unloading to prevent fugitive dust emissions; and <input type="checkbox"/> 09-6 Comply with Vehicle Code Section 23114.
Landscap- ing	<input type="checkbox"/> 10-1 Stabilize soils, materials, slopes	<input type="checkbox"/> 10-1 Stabilize soils, materials, slopes	<input type="checkbox"/> 10-1 Stabilize soils, materials, slopes
Road shoulder maint.	<input type="checkbox"/> 11-1 Apply water to unpaved shoulders prior to clearing; and <input type="checkbox"/> 11-2 Apply chemical dust suppressants and/or washed gravel to maintain a stabilized surface after completing road shoulder maintenance.	<input type="checkbox"/> 11-1 Apply water to unpaved shoulders prior to clearing; and <input type="checkbox"/> 11-2 Apply chemical dust suppressants and/or washed gravel to maintain a stabilized surface after completing road shoulder maintenance.	<input type="checkbox"/> 11-1 Apply water to unpaved shoulders prior to clearing; and <input type="checkbox"/> 11-2 Apply chemical dust suppressants and/or washed gravel to maintain a stabilized surface after completing road shoulder maintenance.
Screening	<input type="checkbox"/> 12-1 Pre-water material prior to screening; and <input type="checkbox"/> 12-2 Limit fugitive dust emissions to opacity and plume length standards; and <input type="checkbox"/> 12-3 Stabilize material immediately after screening.	<input type="checkbox"/> 12-1 Pre-water material prior to screening; and <input type="checkbox"/> 12-2 Limit fugitive dust emissions to opacity and plume length standards; and <input type="checkbox"/> 12-3 Stabilize material immediately after screening.	<input type="checkbox"/> 12-1 Pre-water material prior to screening; and <input type="checkbox"/> 12-2 Limit fugitive dust emissions to opacity and plume length standards; and <input type="checkbox"/> 12-3 Stabilize material immediately after screening.
Staging Areas	<input type="checkbox"/> 13-1 Stabilize staging areas during use; and <input type="checkbox"/> 13-2 Stabilize staging area soils at project completion.	<input type="checkbox"/> 13-1 Stabilize staging areas during use; and <input type="checkbox"/> 13-2 Stabilize staging area soils at project completion.	<input type="checkbox"/> 13-1 Stabilize staging areas during use; and <input type="checkbox"/> 13-2 Stabilize staging area soils at project completion.

FUGITIVE DUST CONTROL PLAN
 For Projects < 10 Acres (Form DCP, Page 4 of 5)

Project Phases

Source Category	Clearing, Grubbing, and Mass Grading <i>(Describe Control Actions)</i>	Finish Grading <i>(Describe Control Actions)</i>	Site Construction <i>(Describe Control Actions)</i>
Stockpiles/ bulk materials handling	<input type="checkbox"/> 14-1 Stabilize stockpiled materials; or <input type="checkbox"/> 14-2 Install and maintain wind barriers with no less than 50 percent porosity on three sides of the pile, such that the barrier is equal to or greater than the pile height. <input type="checkbox"/> 14-3 Stockpiles within 100 yards of occupied buildings must not be greater than eight feet in height; or <input type="checkbox"/> 14-4 Stockpiles greater than eight feet in height and not covered must have a road bladed to the top to allow water truck access or must have an operational water irrigation system that is capable of complete stockpile coverage.	<input type="checkbox"/> 14-1 Stabilize stockpiled materials; or <input type="checkbox"/> 14-2 Install and maintain wind barriers with no less than 50 percent porosity on three sides of the pile, such that the barrier is equal to or greater than the pile height. <input type="checkbox"/> 14-3 Stockpiles within 100 yards of occupied buildings must not be greater than eight feet in height; or <input type="checkbox"/> 14-4 Stockpiles greater than eight feet in height and not covered must have a road bladed to the top to allow water truck access or must have an operational water irrigation system that is capable of complete stockpile coverage.	<input type="checkbox"/> 14-1 Stabilize stockpiled materials; or <input type="checkbox"/> 14-2 Install and maintain wind barriers with no less than 50 percent porosity on three sides of the pile, such that the barrier is equal to or greater than the pile height. <input type="checkbox"/> 14-3 Stockpiles within 100 yards of occupied buildings must not be greater than eight feet in height; or <input type="checkbox"/> 14-4 Stockpiles greater than eight feet in height and not covered must have a road bladed to the top to allow water truck access or must have an operational water irrigation system that is capable of complete stockpile coverage.
Traffic areas for const. activities	<input type="checkbox"/> 15-1 Stabilize all off-road traffic and parking areas; and <input type="checkbox"/> 15-2 Ensure that on-site vehicular traffic does not exceed 15 miles per hour; and <input type="checkbox"/> 15-3 Stabilize all haul routes; and <input type="checkbox"/> 15-4 Direct construction traffic over established haul routes.	<input type="checkbox"/> 15-1 Stabilize all off-road traffic and parking areas; and <input type="checkbox"/> 15-2 Ensure that on-site vehicular traffic does not exceed 15 miles per hour; and <input type="checkbox"/> 15-3 Stabilize all haul routes; and <input type="checkbox"/> 15-4 Direct construction traffic over established haul routes.	<input type="checkbox"/> 15-1 Stabilize all off-road traffic and parking areas; and <input type="checkbox"/> 15-2 Ensure that on-site vehicular traffic does not exceed 15 miles per hour; and <input type="checkbox"/> 15-3 Stabilize all haul routes; and <input type="checkbox"/> 15-4 Direct construction traffic over established haul routes.
Trenching	<input type="checkbox"/> 16-1 Stabilize surface soils where trencher or excavator and support equipment will operate; and <input type="checkbox"/> 16-2 Stabilize soils at the completion of trenching activities.	<input type="checkbox"/> 16-1 Stabilize surface soils where trencher or excavator and support equipment will operate; and <input type="checkbox"/> 16-2 Stabilize soils at the completion of trenching activities.	<input type="checkbox"/> 16-1 Stabilize surface soils where trencher or excavator and support equipment will operate; and <input type="checkbox"/> 16-2 Stabilize soils at the completion of trenching activities.
Truck loading	<input type="checkbox"/> 17-1 Pre-water material prior to loading; and <input type="checkbox"/> 17-2 Ensure that freeboard does not exceed six inches	<input type="checkbox"/> 17-1 Pre-water material prior to loading; and <input type="checkbox"/> 17-2 Ensure that freeboard does not exceed six inches	<input type="checkbox"/> 17-1 Pre-water material prior to loading; and <input type="checkbox"/> 17-2 Ensure that freeboard does not exceed six inches



FUGITIVE DUST CONTROL PLAN
 For Projects < 10 Acres (Form DCP, Page 5 of 5)

Project Phases

Source Category	Clearing, Grubbing, and Mass Grading <i>(Describe Control Actions)</i>	Finish Grading <i>(Describe Control Actions)</i>	Site Construction <i>(Describe Control Actions)</i>
Turf overseeding	<input type="checkbox"/> 18-1 Apply sufficient water immediately prior to conducting turf vacuuming activities to meet opacity and plume length standards; and <input type="checkbox"/> 18-2 Cover haul vehicles prior to exiting the site.	<input type="checkbox"/> 18-1 Apply sufficient water immediately prior to conducting turf vacuuming activities to meet opacity and plume length standards; and <input type="checkbox"/> 18-2 Cover haul vehicles prior to exiting the site.	<input type="checkbox"/> 18-1 Apply sufficient water immediately prior to conducting turf vacuuming activities to meet opacity and plume length standards; and <input type="checkbox"/> 18-2 Cover haul vehicles prior to exiting the site.
Unpaved roads/ parking lots	<input type="checkbox"/> 19-1 Stabilize soils to meet the applicable performance standards; and <input type="checkbox"/> 19-2 Limit vehicular travel to established unpaved roads (haul routes) and unpaved parking lots	<input type="checkbox"/> 19-1 Stabilize soils to meet the applicable performance standards; and <input type="checkbox"/> 19-2 Limit vehicular travel to established unpaved roads (haul routes) and unpaved parking lots	<input type="checkbox"/> 19-1 Stabilize soils to meet the applicable performance standards; and <input type="checkbox"/> 19-2 Limit vehicular travel to established unpaved roads (haul routes) and unpaved parking lots
Vehicular track-out, clean-up	<input type="checkbox"/> 19-3 Use wheel washes at construction entrances <input type="checkbox"/> 19-4 Use street sweeping as required.	<input type="checkbox"/> 19-3 Use wheel washes at construction entrances <input type="checkbox"/> 19-4 Use street sweeping as required.	<input type="checkbox"/> 19-3 Use wheel washes at construction entrances <input type="checkbox"/> 19-4 Use street sweeping as required.
Weather monitoring/ work practices	<input type="checkbox"/> 20-1 Monitor current weather conditions predictions from the AQMD's wind forecast system (800) CUT-SMOG [Press 1, then Press 5] or the National Weather Service; & <input type="checkbox"/> 20-2 Cease all construction activities if fugitive dust emissions exceed 20 percent opacity or if 100 foot visible plume restriction cannot be met. Control measures must continue to operate unless operation of such equipment cannot reduce emissions or if visibility is limited to such an extent that it is hazardous to operate such equipment.	<input type="checkbox"/> 20-1 Monitor current weather conditions predictions from the AQMD's wind forecast system (800) CUT-SMOG [Press 1, then Press 5] or the National Weather Service; & <input type="checkbox"/> 20-2 Cease all construction activities if fugitive dust emissions exceed 20 percent opacity or if 100 foot visible plume restriction cannot be met. Control measures must continue to operate unless operation of such equipment cannot reduce emissions or if visibility is limited to such an extent that it is hazardous to operate such equipment.	<input type="checkbox"/> 20-1 Monitor current weather conditions predictions from the AQMD's wind forecast system (800) CUT-SMOG [Press 1, then Press 5] or the National Weather Service; & <input type="checkbox"/> 20-2 Cease all construction activities if fugitive dust emissions exceed 20 percent opacity or if 100 foot visible plume restriction cannot be met. Control measures must continue to operate unless operation of such equipment cannot reduce emissions or if visibility is limited to such an extent that it is hazardous to operate such equipment.
<i>Other (describe)</i>			